## D.C. Courts Yoga Instruction for D.C. Court Employees

## RFP No. DCSC-23-RFP-106 Yoga Instruction for D.C. Court Employees

## **Questions & Answers Spreadsheet**

Deadline for Questions: May 31, 2023 at 3:00 PM., EST

No.	OFFEROR QUESTION	RFP SECTION & PAGE	D.C. COURTS RESPONSE
1	Are the days of the week and/or times of classes flexible? For example, if we could schedule Tuesday and Thursday class times to be back-to-back, we could realize an expense/cost savings that we would be able to reflect in a lower proposed bid. Also, if we could offer the Monday beginner class on Tuesday or Thursday, we could see a similar increase in efficiency.	Page 7 ( I /	The days of the week and times of the classes are not flexible.
2	Do you have a listing of the potential locations for the classes?	Page 5, C.1.4	Currently, classes are virtual. If classes are held on-site, it will be at one location:  Moultrie Courthouse Building 500 Indiana Ave., NW, Washington, D.C., 20004
3	Will free parking be available at all locations?	General Question	All efforts would be made to provide parking.
4	Does the notary have to be signed in the district?	General Question	No
5	For document J6, "bids/offers over 100K", does that mean 100K per year or 100K for the total of years?	Attachment J.6	The language on the Tax Certification Affidavit is referring to bids of \$100,000 for one contract year.

## D.C. Courts Yoga Instruction for D.C. Court Employees

No.	OFFEROR QUESTION	RFP SECTION & PAGE	D.C. COURTS RESPONSE
	Can you explain the document labeled "J.8 DC Courts Release of Claims" & J9 Evaluation?" It seems like both these documents are to be completed at the end of a contract, not during the bidding process.	Attachment J.8 and J.9	The DC Courts Release of Claims document is completed only if you are awarded the contract. The Past Performance Evaluation Form is to be completed by two companies/individuals you have previously performed Yoga Instruction for and must be included with your bid. This form is used as a part of the overall evaluation factors detailed in Section M.2.2. of the RFP.